

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**






Fig-1



SECTION A-A




Fig-2







Fig-3

Fig-4






Fig-5




Fig-6






Fig-7





DIMENSIONS (inches/mm)					
	A	B	C(9500)	C(9900)	C(9400)
	2.25/57.09	1.29/32.66	3.23/82.04	3.47/88.13	3.81/96.77

Fig - 8



Shroud Design	DIMENSIONS (inches/cm)				
	A	B	C(8500)	C(8900)	C(8400)
Compact-8	1.56/3.962	1.13/2.870	2.97/7.544	3.18/8.072	3.65/9.271
Ergo-8	1.56/3.962	1.60/4.051	3.54/8.981	3.78/9.601	4.12/10.465

Fig - 9




Fig - 10